



# **Projector Range Guide October 2014**





# **ENTRY**



Ready for action in the office, at home or on the go, Epson's range of business projectors offer vibrant, true-to-life colour for stunning presentations and exciting entertainment. Get instant setup with 3-in-1 USB Plug 'n Play and innovative image alignment features. With HDMI and Wireless connectivity, you'll be ready for any situation.

| MODEL:                             | EB-S18*                            | EB-W28                             | EB-X24                             |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Resolution                         | SVGA                               | WXGA                               | XGA                                |
| Lumens Light Output (Colour/White) | 3,000/3,000                        | 3,000/3,000                        | 3,500/3,500                        |
| USB Plug 'n Play                   | $\checkmark$                       | $\checkmark$                       | $\checkmark$                       |
| PC Free Presentation               | $\checkmark$                       | $\checkmark$                       | $\checkmark$                       |
| Keystone Correction                | Vertical: ±30°<br>Horizontal: ±30° | Vertical: ±30°<br>Horizontal: ±30° | Vertical: ±30°<br>Horizontal: ±30° |
| Zoom                               | 1.35x Digital                      | 1.2x Optical                       | 1.2x Optical                       |
| Wireless                           | Optional                           | Optional                           | Optional                           |
| HDMI Connectivity                  | 1                                  | 1                                  | 1                                  |
| iProjection                        | Optional                           | Optional                           | Optional                           |
| Weight                             | 2.4 kg                             | 2.4 kg                             | 2.4 kg                             |
| Warranty (excluding lamps)         | 2 yrs                              | 2 yrs                              | 2 yrs                              |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$99 / \$159                       | \$99 / \$159                       | \$99 / \$159                       |

# **PORTABLE**



Epson's range of Ultra-Bright, Ultra-Light weight projectors are the perfect companion for business people on the go. Weighing in at only 1.7kg, and boasting a broad range of user friendly functionality including automatic setup with V + H keystone correction, it is small enough to fit in one bag along with your notebook PC.

| MODEL:                             | EB-1751                            | EB-1761W                                    | EB-1771W*                                   | EB-1776W                                    |
|------------------------------------|------------------------------------|---|---|---|
| Resolution                         | XGA                                | WXGA  | WXGA  | WXGA  |
| Lumens Light Output (Colour/White) | 2,600/2,600                        | 2,600/2,600                                 | 3,000/3,000                                 | 3,000/3,000                                 |
| USB Plug 'n Play                   | ✓                                  | ✓   | ✓   | ✓   |
| PC Free Presentation               | ✓                                  | ✓   | ✓   | ✓   |
| Keystone Correction                | Vertical: ±45°<br>Horizontal: ±30° | Vertical: ±45°<br>Horizontal: ±30°          | Vertical: ±45°<br>Horizontal: ±30°          | Vertical: ±45°<br>Horizontal: ±30°          |
| Auto Screen Fit and Focus          | -                                  | -   | -   | $\checkmark$                                |
| Wireless                           |                                    | ✓   | Optional                                    | ✓   |
| Network                            | -                                  | Monitor/Control/Presentation (via wireless) | Monitor/Control/Presentation (via wireless) | Monitor/Control/Presentation (via wireless) |
| HDMI Connectivity                  | 1                                  | 1   | 1   | 1   |
| Weight                             | 1.7 kg                             | 1.7 kg                                      | 1.7 kg                                      | 1.7 kg                                      |
| iProjection                        | -                                  | ✓   | Optional                                    | ✓   |
| Warranty (excluding lamps)         | 3 yrs                              | 3 yrs                                       | 3 yrs                                       | 3 yrs                                       |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$119 / \$179                      | \$119 / \$179                               | \$119 / \$179                               | \$119 / \$179                               |

# **MID RANGE**



Powerful and easy to use, this range of projectors offers low cost of ownership, and ease of maintenance. Beautiful crisp, clear images make Epson's Mid Range projectors the ideal choice for use in a wide variety of Corporate and Education environments.

| MODEL:                             | EB-945/EB-965                          | EB-955W                            | EB-935W                          | EB-1950                            |
|------------------------------------|--|------------------------------------|----------------------------------|------------------------------------|
| Resolution                         | XGA                                    | WXGA                               | WXGA                             | XGA                                |
| Lumens Light Output (Colour/White) | 3,000/3,000 (945)<br>3,500/3,500 (965) | 3,000/3,000                        | 3,700/3,700                      | 4,500/4,500                        |
| USB Plug 'n Play                   | ✓                                      | ✓                                  | ✓                                | ✓                                  |
| PC Free Presentation               | ✓                                      | ✓                                  | ✓                                | ✓                                  |
| Keystone Correction                | Vertical: ±30°<br>Horizontal: ±30°     | Vertical: ±30°<br>Horizontal: ±30° | Vertical ±30°<br>Horizontal ±30° | Vertical: ±30°<br>Horizontal: ±30° |
| Zoom                               | 1.6x Optical                           | 1.6x Optical                       | 1.6x Optical                     | 1.6x Optical                       |
| Speaker                            | 16W                                    | 16W                                | 16W                              | 10W                                |
| Wireless                           | Optional                               | Optional                           | Optional                         | -                                  |
| Network                            | Monitor/Control/Presentation           | Monitor/Control/Presentation       | Monitor/Control/Presentation     | Monitor/Control/Presentation       |
| HDMI Connectivity                  | 1                                      | 1                                  | 1                                | 1                                  |
| iProjection                        | Optional                               | Optional                           | Optional                         | -                                  |

## **Network Connectivity**

Project presentations over the network, transmitting both audio and video with a single connection. You can also connect wirelessly, via a network access point, to promote collaborative sharing and an engaging work environment. Easily monitor/control networked Epson projectors remotely using the RJ-45 connector and EasyMP® Monitor software. You will save time and maintenance costs by powering projectors on and off without having to go to each individual room and by setting schedules for automatic events. You can also receive email alerts when attention is required.



| MODEL:                             | EB-1945W                           | EB-1970W*/1975W                    | EB-1980WU                          | EB-1985WU                          |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Resolution                         | WXGA                               | WXGA                               | WUXGA                              | WUXGA                              |
| Lumens Light Output (Colour/White) | 4,200/4,200                        | 5,000/5,000                        | 4,400/4,400                        | 4,800/4,800                        |
| USB Plug 'n Play                   | $\checkmark$                       | ✓                                  | ✓                                  | ✓                                  |
| PC Free Presentation               | $\checkmark$                       | ✓                                  | ✓                                  | ✓                                  |
| Keystone Correction                | Vertical: ±30°<br>Horizontal: ±30° | Vertical: ±30°<br>Horizontal: ±30° | Vertical: ±30°<br>Horizontal: ±30° | Vertical: ±30°<br>Horizontal: ±30° |
| Screen Fit and Focus Help          | ✓                                  | ✓                                  | ✓                                  | ✓                                  |
| Zoom                               | 1.6x Optical                       | 1.6x Optical                       | 1.6x Optical                       | 1.6x Optical                       |
| Speaker                            | 10W                                | 16W                                | 16W                                | 16W                                |
| Wireless                           | ✓                                  | ✓                                  |                                    | ✓                                  |
| Miracast/WiDi                      | -                                  | EB-1975W only                      | -                                  | ✓                                  |
| Network                            | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control/Presentation       |
| HDMI Connectivity                  | 1                                  | 1                                  | 1                                  | 1                                  |
| iProjection                        | ✓                                  | ✓                                  | -                                  | ✓                                  |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$170 / \$255                      | \$170 / \$255                      | \$170 / \$255                      | \$170 / \$255                      |

# SHORT THROW AND ULTRA SHORT THROW



With an Epson Short Throw or Ultra Short Throw projector, presenters are able to deliver rich multimedia content without the distraction of glare in their eyes, or shadows on the board disrupting the vision of their audience. Make the most of your available space with Epson's range of innovative projectors.

| MODEL:                             | EB-420                               | EB-425W                              | EB-435W  |
|------------------------------------|--------------------------------------|--------------------------------------|--|
| Resolution                         | XGA                                  | WXGA                                 | WXGA   |
| Lumens Light Output (Colour/White) | 2,500/2,500                          | 2,500/2,500                          | 3,000/3,000  |
| Projection Type                    | Short Throw                          | Short Throw                          | Short Throw  |
| Throw Ratio                        | 0.55 (Zoom: Wide), 0.74 (Zoom: Tele) | 0.48 (Zoom: Wide), 0.65 (Zoom: Tele) | 0.48 (Zoom: Wide), 0.65 (Zoom: Tele)                       |
| Integrated Mount Included          | -                                    | -                                    | -  |
| USB Plug 'n Play                   | $\checkmark$                         | $\checkmark$                         | ✓  |
| Keystone Correction                | Vertical: ±15°<br>Horizontal: ±15°   | Vertical: ±15°<br>Horizontal: ±15°   | Vertical: $\pm 15^{\circ}$<br>Horizontal: $\pm 15^{\circ}$ |
| Zoom                               | 1.35x Digital                        | 1.35x Digital                        | 1.35x Digital  |
| Speaker                            | 16W                                  | 16W                                  | 16W  |
| Wireless                           | Optional                             | Optional                             | Optional   |
| Network                            | Monitor/Control/Presentation         | Monitor/Control/Presentation         | Monitor/Control/Presentation                               |
| HDMI Connectivity                  | 1                                    | 1                                    | 1  |
| iProjection                        | Optional                             | Optional                             | Optional   |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$179 / \$269                        | \$179 / \$269                        | \$179 / \$269  |

| MODEL:                             | EB-575W/e*                           | EB-580                               | EB-585W/e*                           |
|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Resolution                         | WXGA                                 | XGA                                  | WXGA                                 |
| Lumens Light Output (Colour/White) | 2,700/2,700                          | 3,200/3,200                          | 3,300/3,300                          |
| Projection Type                    | Ultra Short Throw                    | Ultra Short Throw                    | Ultra Short Throw                    |
| Throw Ratio                        | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) | 0.31 (Zoom: Wide), 0.42 (Zoom: Tele) | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) |
| Integrated Mount Included          | ✓                                    | $\checkmark$                         | $\checkmark$                         |
| USB Plug 'n Play                   | ✓                                    | ✓                                    | ✓                                    |
| Keystone Correction                | Vertical: ±3°<br>Horizontal: ±3°     | Vertical: ±3°<br>Horizontal: ±3°     | Vertical: ±3°<br>Horizontal: ±3°     |
| Zoom                               | 1.35x Digital                        | 1.35x Digital                        | 1.35x Digital                        |
| Speaker                            | 16W                                  | 16W                                  | 16W                                  |
| Wireless                           | Optional                             | Optional                             | Optional                             |
| Network                            | Monitor/Control/Presentation         | Monitor/Control/Presentation         | Monitor/Control/Presentation         |
| HDMI Connectivity                  | 2                                    | 2                                    | 2                                    |
| Available in Education Model*      | ✓                                    | -                                    | ✓                                    |
| iProjection                        | Optional                             | Optional                             | Optional                             |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$79 / \$129                         | \$79 / \$129                         | \$79 / \$129                         |

# **EDUCATION INTERACTIVE**



As the best-selling projector manufacturer in the world, Epson has a solution for every education scenario. Built with image quality and reliability in mind, Epson's interactive projectors enhance communication, inspire collaboration and offer a low total cost of ownership.

| MODEL:                             | EB-575Wi/e*                          | EB-585Wi                             | EB-595Wi                             |
|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Resolution                         | WXGA                                 | WXGA                                 | WXGA                                 |
| Lumens Light Output (Colour/White) | 2,700/2,700                          | 3,300/3,300                          | 3,300/3,300                          |
| Projection Type                    | Ultra Short Throw                    | Ultra Short Throw                    | Ultra Short Throw                    |
| Throw Ratio                        | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) |
| Interactivity                      | Pen Only                             | Pen Only                             | Finger and Pen Interactivity         |
| Integrated Mount Included          | ✓                                    | $\checkmark$                         | ✓                                    |
| PC Free Annotation                 | ✓                                    | ✓                                    | ✓                                    |
| Simultaneous Multi User            | ✓                                    | ✓                                    | ✓                                    |
| PC Free Presentation               | ✓                                    | ✓                                    | ✓                                    |
| Keystone Correction                | Vertical: ±3°<br>Horizontal: ±3°     | Vertical: ±3°<br>Horizontal: ±3°     | Vertical: ±3°<br>Horizontal: ±3°     |
| Zoom                               | 1.35x Digital                        | 1.35x Digital                        | 1.35x Digital                        |
| Speaker                            | 16W                                  | 16W                                  | 16W                                  |
| Wireless                           | Optional                             | Optional                             | Optional                             |
| Network                            | Monitor/Control/Presentation         | Monitor/Control/Presentation         | Monitor/Control/Presentation         |
| HDMI Connectivity                  | 2                                    | 2                                    | 2                                    |
| iProjection                        | Optional                             | Optional                             | Optional                             |
| Warranty (excluding lamps)         | 3yrs/5yrs                            | 3yrs                                 | 3 yrs                                |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$79 / \$129                         | \$79 / \$129                         | \$79 / \$129                         |

## **Education Models**

The Epson range of Ultra Short Throw projectors are available in an Education specific configuration; denoted by an "e" on the end of the name.

Visit www.epson.com.au/interactive for more information.



#### Finger Touch Interactivity - No Pens Required!

With the finger touch interactive models (EB-595Wi), multiple users can annotate on the interactive area using a combination of 2 pens and up to 6 fingers at the same time — perfect for classroom collaboration!



## Start Lessons Instantly with Instant Annotation

Why wait for a PC to start up before you start your lesson? Interactive functionality is also available without a PC connection, so drawing on the projected screen is now possible when connected to other devices such as visualisers or DVD players etc.

# **BUSINESS INTERACTIVE**

# Meeting Mate

collaborate, create, share.



MeetingMate<sup>TM</sup> interactive projectors provide the complete solution for any meeting room. A perfect alternative to copyboards and other presentation equipment, it combines multiple devices into one simple device that enhances collaboration through interactive functionality, idea creation and content sharing — all without a PC!

| MODEL:                             | EB-1420Wi                            | EB-1430Wi                            |
|------------------------------------|--------------------------------------|--------------------------------------|
| Resolution                         | WXGA                                 | WXGA                                 |
| Lumens Light Output (Colour/White) | 3,300/3,300                          | 3,300/3,300                          |
| Projection Type                    | Ultra Short Throw                    | Ultra Short Throw                    |
| Throw Ratio                        | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) | 0.27 (Zoom: Wide), 0.37 (Zoom: Tele) |
| Interactivity                      | Pen Only                             | Finger and Pen Interactivity         |
| PC Free Whiteboard function        | ✓                                    | ✓                                    |
| Save, Print, Email from Whiteboard | ✓                                    | ✓                                    |
| Control Pad                        | ✓                                    | ✓                                    |
| Split screen                       | ✓                                    | ✓                                    |
| Simultaneous Multi-User            | ✓                                    | ✓                                    |
| PC Free Annotation/Presentation    | ✓                                    | ✓                                    |
| Wireless Interactive & Projection  | ✓                                    | ✓                                    |
| Multi-location Remote Interactive  | Up to 4 locations                    | Up to 4 locations                    |
| Keystone Correction                | Vertical: ±3°<br>Horizontal: ±3°     | Vertical: ±3°<br>Horizontal: ±3°     |
| Zoom                               | 1.35x Digital                        | 1.35x Digital                        |
| Speaker                            | 16W                                  | 16W                                  |
| Wireless                           | ✓                                    | ✓                                    |
| Network                            | Monitor/Control/Presentation         | Monitor/Control/Presentation         |
| HDMI Connectivity                  | 2                                    | 2                                    |
| iProjection                        | ✓                                    | ✓                                    |
| Warranty (excluding lamps)         | 3 yrs                                | 3 yrs                                |
| Replacement Lamp RRP (\$AU/\$NZ)   | \$79 / \$129                         | \$79 / \$129                         |

## **PC Free Whiteboard**

# Project B Project C Project E Project D Solution

With the Whiteboard function, you can start a meeting "instantly" without the need for a PC! Simply walk into the meeting room and switch to Whiteboard mode and start writing notes or annotating images. The new control pad facilitates these functions with simple and intuitive command buttons. What's more, the function buttons on the control pad are replicated on the remote control, so it's never been easier to get going.

## Save, Print, Email

At the end of your meeting, you can SAVE, PRINT, or EMAIL your meeting notes instantly – it's that easy! SAVE your meeting notes on a USB drive or the network drive. Never lose any of your meeting notes again!

PRINT your meeting notes wirelessly or to the network printer so all team members can walk away with the action points.

EMAIL the meeting notes from the Whiteboard to your email address.



# **Whiteboard Sharing Mode**



The whiteboard sharing function allows collaboration from multiple devices participating from different locations\*. Content can be shared and annotated on simultaneously by participants collaborating from mobile devices, computers and other MeetingMates. Connect up to 15 devices directly to the MeetingMate with no PC required!

# INSTALLATION



Epson EB-G6750WU

Powerful performers that are easy to install, manage and maintain. Epson's range of installation projectors offers up to 11,000 lumens of colour/white light output for captivating presentations in virtually any venue. Featuring WUXGA resolution and innovative 3LCD technology, these projectors deliver brilliant images in lecture halls, conference centres and entertainment venues.

| MODEL:                                 | EB-4750W                           | EB-4950WU/EB-4955WU                |
|--|------------------------------------|------------------------------------|
| Resolution                             | WXGA                               | WUXGA                              |
| Lumens Light Output (Colour/White)     | 4,200/4,200                        | 4,500/4,500                        |
| Keystone Correction                    | Vertical ±30°<br>Horizontal ±30°   | Vertical ±30°<br>Horizontal ±30°   |
| Lens Shift                             | Vertical: ±70%<br>Horizontal: ±38% | Vertical: ±50%<br>Horizontal: ±10% |
| Zoom                                   | 2x Optical                         | 2x Optical                         |
| Wireless                               | Optional                           | Optional                           |
| Network                                | Monitor/Control/Presentation       | Monitor/Control/Presentation       |
| HDMI Connectivity                      | 1                                  | 1                                  |
| Edge Blending                          | -                                  |                                    |
| Crestron RoomView/AMX Device Discovery | $\checkmark$                       | $\checkmark$                       |
| HDBaseT                                | -                                  |                                    |
| Passive 3D                             | Optional                           | Optional                           |
| Lens Options                           | -                                  |                                    |
| iProjection                            | Optional                           | Optional                           |
| Warranty (excluding lamps)             | 3 yrs                              | 3 yrs                              |

# Advanced Installation Features

#### 24 Hour Use

Enjoy the flexibility of running your projector 24/7 with guaranteed performance and reliability.



#### 360° Projection

The Epson Z and G Series can be rotated 360° in any direction for off-axis positioning flexibility.

#### **Edge Blending**

Enhance the experience with seamless panoramic, multi-screen images that blend edges by matching colour and brightness perfectly, even in areas that overlap.

| MODEL:                                 | EB-G6050W                          | EB-G6250W                          | EB-G6350                           |
|--|------------------------------------|------------------------------------|------------------------------------|
| Resolution                             | WXGA                               | WXGA                               | XGA                                |
| Lumens Light Output (Colour/White)     | 5,500/5,500                        | 6,500/6,500                        | 7,000/7,000                        |
| Lens Shift                             | Vertical: ±67%<br>Horizontal: ±30% | Vertical: ±67%<br>Horizontal: ±30% | Vertical: ±57%<br>Horizontal: ±30% |
| Operating Hours <sup>1</sup>           | 24/7                               | 24/7                               | 24/7                               |
| Operating Angle                        | 360°                               | 360°                               | 360°                               |
| Projection Multi PC                    | $\checkmark$                       | ✓                                  | $\checkmark$                       |
| Zoom (LS06 Lens)                       | 1.8x Optical                       | 1.8x Optical                       | 1.8x Optical                       |
| Vireless                               | Optional                           | Optional                           | Optional                           |
| Network                                | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control/Presentation       |
| HDMI Connectivity                      | 1                                  | 1                                  | 1                                  |
| SDI Connectivity                       | -                                  | -                                  | -                                  |
| Frame Interpolation                    | -                                  | -                                  | -                                  |
| Edge Blending                          | $\checkmark$                       | ✓                                  | $\checkmark$                       |
| Crestron RoomView/AMX Device Discovery | ✓                                  | $\checkmark$                       | ✓                                  |
| HDBaseT                                |                                    | -                                  | -                                  |
| Passive 3D                             | Optional                           | Optional                           | Optional                           |
| Lens Options                           | 6                                  | 6                                  | 6                                  |
| Projection                             | Optional                           | Optional                           | Optional                           |
| Warranty (excluding lamps)             | 3 yrs                              | 3 yrs                              | 3 yrs                              |

| MODEL:                                   | EB-G6550WU                         | EB-G6750WU                         | EB-G6900WU                         |
|--|------------------------------------|------------------------------------|------------------------------------|
| Resolution                               | WUXGA                              | WUXGA                              | WUXGA                              |
| Lumens Light Output (Colour/White)       | 5,200/5,200                        | 6,000/6,000                        | 6,000/6,000                        |
| Lens Shift                               | Vertical: ±67%<br>Horizontal: ±30% | Vertical: ±67%<br>Horizontal: ±30% | Vertical: ±67%<br>Horizontal: ±30% |
| Operating Hours <sup>1</sup>             | 24/7                               | 24/7                               | 24/7                               |
| Operating Angle                          | 360°                               | 360°                               | 360°                               |
| Projection Multi PC                      | $\checkmark$                       | ✓                                  | -                                  |
| Zoom (LS06 Lens)                         | 1.8x Optical                       | 1.8x Optical                       | 1.8x Optical                       |
| Wireless                                 | Optional                           | Optional                           |                                    |
| Network                                  | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control                    |
| HDMI Connectivity                        | 1                                  | 1                                  | 1                                  |
| SDI Connectivity                         | -                                  | -                                  | $\checkmark$                       |
| Frame Interpolation                      | $\checkmark$                       | $\checkmark$                       | $\checkmark$                       |
| Edge Blending                            | $\checkmark$                       | ✓                                  | ✓                                  |
| Crestron RoomView / AMX Device Discovery | $\checkmark$                       | ✓                                  | $\checkmark$                       |
| HDBaseT                                  | -                                  | ✓                                  | ✓                                  |
| Passive 3D                               | Optional                           | Optional                           | Optional                           |
| Lens Options                             | 6                                  | 6                                  | 6                                  |
| iProjection                              | Optional                           | Optional                           | -                                  |
| Warranty (excluding lamps)               | 3 yrs                              | 3 yrs                              | 3 yrs                              |

<sup>&</sup>lt;sup>1</sup>WARRANTED FOR 15,000 HOURS IN 24/7 USE

## Compatibility



Epson installation projectors are compatible with leading integration products.

Conveniently monitor and control features either directly or remotely with AMX®, Crestron® and Extron® compatibility.

## Reliability

#### **Liquid Cooling System**

Epson's innovative system uses liquid to cool the LCD chips directly. This system design promotes greater reliability and enables stable operation in temperatures up to 50°C.

#### **Dual Lamps**

The Epson Z Series projectors boast a dual lamp system (two 380W lamps) that eliminates the risk of interruption.

## HDBaseT®

Make your installations hassle-free with the cutting edge HDBaseT technology that can carry Full HD video, audio, network and control commands all on a single CAT-5e/6 cable that is up to 100m!

No need for additional cables, signal repeaters or added labour.



## **Ultimate Flexibility**

With advanced installation features such as Portrait Mode, Corner Projection, Edge Blending and 360° Projection, as well as the flexibility of 24 hour use, dual lamps and an advanced cooling system, there's an Epson projector to suit any application.





| MODEL:                                   | EB-Z11000/EB-Z11005                | EB-Z9900W                          | EB-Z11000W                         |
|--|------------------------------------|------------------------------------|------------------------------------|
| Resolution                               | XGA                                | WXGA                               | WXGA                               |
| Lumens Light Output (Colour/White)       | 11,000/11,000                      | 9,200/9,200                        | 11,000/11,000                      |
| Lens Shift (Powered)                     | Vertical: ±56%<br>Horizontal: ±19% | Vertical: ±60%<br>Horizontal: ±18% | Vertical: ±56%<br>Horizontal: ±19% |
| Operating Hours <sup>2</sup>             | 24/7                               | 24/7                               | 24/7                               |
| Operating Angle                          | 360°                               | 360°                               | 360°                               |
| Projection Multi PC                      | ✓                                  | ✓                                  | $\checkmark$                       |
| Zoom (LS04 Lens)                         | 1.6x Optical                       | 1.6x Optical                       | 1.6x Optical                       |
| Wireless                                 | Optional                           | Optional                           | Optional                           |
| Network                                  | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control/Presentation       |
| HDMI Connectivity                        | 1                                  | 1                                  | 1                                  |
| SDI Connectivity                         | ✓                                  | ✓                                  | $\checkmark$                       |
| Frame Interpolation                      | ✓                                  | ✓                                  | -                                  |
| Edge Blending                            | ✓                                  | ✓                                  | ✓                                  |
| Crestron RoomView / AMX Device Discovery | ✓                                  | ✓                                  | ✓                                  |
| HDBaseT                                  | ✓                                  | ✓                                  | ✓                                  |
| Lens Options                             | 7                                  | 7                                  | 7                                  |
| iProjection                              | Optional                           | Optional                           | Optional                           |
| Warranty (excluding lamps)               | 4 yrs                              | 4yrs                               | 4 yrs                              |

| G SERIES LENSES |         |                           | Z SERIES LENSES |         |                           |
|-----------------|---------|---------------------------|-----------------|---------|---------------------------|
|                 | ELPLU01 | Short Throw Lens          |                 | ELPLU02 | Short Throw Lens          |
|                 | ELPLR03 | Rear Projection Wide Lens |                 | ELPLR04 | Rear Projection Wide Lens |
|                 | ELPLS06 | Standard Zoom Lens        |                 | ELPLS04 | Standard Zoom Lens        |
|                 |         |                           |                 | ELPLW04 | Wide Zoom Lens            |
|                 | ELPLM04 | Middle Throw Zoom Lens 1  |                 | ELPLM06 | Middle Throw Lens         |
|                 | ELPLM05 | Middle Throw Zoom Lens 2  |                 | ELPLM07 | Middle Throw Zoom Lens    |
|                 | ELPLL06 | Long Throw Zoom Lens      |                 | ELPLL07 | Long Throw Zoom Lens      |

| MODEL:                                   | EB-Z9750U                          | EB-Z9870U                          | EB-Z10000U/<br>EB-Z10005U          |
|--|------------------------------------|------------------------------------|------------------------------------|
| Resolution                               | WUXGA                              | WUXGA                              | WUXGA                              |
| Lumens Light Output (Colour/White)       | 7,500/7,500                        | 8,700/8,700                        | 10,000/10,000                      |
| Lens Shift (Automatic)                   | Vertical: ±60%<br>Horizontal: ±18% | Vertical: ±60%<br>Horizontal: ±18% | Vertical: ±60%<br>Horizontal: ±18% |
| Operating Hours <sup>2</sup>             | 24/7                               | 24/7                               | 24/7                               |
| Operating Angle                          | 360°                               | 360°                               | 360°                               |
| Projection Multi PC                      | ✓                                  |                                    | $\checkmark$                       |
| Zoom (LS04 Lens)                         | 1.6x Optical                       | 1.6x Optical                       | 1.6x Optical                       |
| Wireless                                 | Optional                           | Optional                           | Optional                           |
| Network                                  | Monitor/Control/Presentation       | Monitor/Control/Presentation       | Monitor/Control/Presentation       |
| HDMI Connectivity                        | 1                                  | 1                                  | 1                                  |
| SDI Connectivity                         | -                                  | ✓                                  | ✓                                  |
| Frame Interpolation                      | $\checkmark$                       | $\checkmark$                       | $\checkmark$                       |
| Edge Blending                            | ✓                                  | ✓                                  | ✓                                  |
| Crestron RoomView / AMX Device Discovery | $\checkmark$                       | ✓                                  | ✓                                  |
| HDBaseT                                  | ✓                                  | ✓                                  | ✓                                  |
| Lens Options                             | 7                                  | 7                                  | 7                                  |
| iProjection                              | Optional                           | Optional                           | Optional                           |
| Warranty (excluding lamps)               | 4yrs                               | 4yrs                               | 4 yrs                              |

# **HOME THEATRE**



Experience rich cinematic adventures at home with Epson home cinema projectors. Whether you enjoy movies, games, or sporting events, every image is sure to pop off the screen with state-of-the-art, innovative projector features.

## WirelessHD

Eliminate cable clutter and simplify installations. WirelessHD enables the transfer of HDMI digital signals without compression or deterioration. You can now wirelessly stream Full HD and 3D content directly to your Epson Projector giving you high quality images every time.

# **Epson 3D**

Enjoy thrilling 3D adventures right in the comfort of your living room. Featuring Epson's Bright 3D Drive technology, these home theatre projectors put you right in the middle of the action. Epson's drive system minimises the blackout time of 3D glasses and provides greater brightness when viewing 3D content.

| MODEL:                             | EH-TW570                         | EH-TW5200                        | EH-TW6600*                       | EH-TW6600W                       |
|------------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Resolution                         | WXGA                             | 1080p                            | 1080p                            | 1080p                            |
| Lumens Light Output (Colour/White) | 3,000/3,000                      | 2,000/2,000                      | 2,500/2,500                      | 2,500/2,500                      |
| Contrast Ratio                     | 15,000:1                         | 15,000:1                         | 70,000:1                         | 70,000:1                         |
| 3D Capable                         | ✓                                | $\checkmark$                     | ✓                                | $\checkmark$                     |
| 3D Glasses                         | Optional                         | Optional                         | Includes 2 Pairs                 | Includes 2 Pairs                 |
| Keystone Correction                | Vertical ±30°<br>Horizontal ±30° | Vertical ±30°<br>Horizontal ±30° | Vertical ±30°<br>Horizontal ±30° | Vertical ±30°<br>Horizontal ±30° |
| Lens Shift                         | -                                |                                  | Vertical ±60%<br>Horizontal ±24% | Vertical ±60%<br>Horizontal ±24% |
| Picture in Picture                 | ✓                                |                                  | ✓                                | $\checkmark$                     |
| Split Screen                       | ✓                                | -                                | ✓                                | ✓                                |
| Built in Speakers                  | 2W                               | 2W                               | 2 x 10W                          | 2 x 10W                          |
| HDMI Connectivity                  | 1                                | 2                                | 2                                | 2                                |
| WirelessHD                         | -                                | -                                | -                                | ✓                                |

| MODEL:                             | EH-TW8200                            | EH-TW9200                            | EH-TW9200W*                          | EH-LS10000  |
|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---|
| Resolution                         | 1080p                                | 1080p                                | 1080p                                | 1080P (4K Enhancement)                              |
| Light Source                       | Lamp                                 | Lamp                                 | Lamp                                 | Laser   |
| Lumens Light Output (Colour/White) | 2,400/2,400                          | 2,400/2,400                          | 2,400/2,400                          | 1,500/1,500   |
| Contrast Ratio                     | 600,000:1                            | 600,000:1                            | 600,000:1                            | Absolute Black<br>Full White 1,500lm/Full Black 0lm |
| 3D Capable                         | ✓                                    | ✓                                    | ✓                                    | ✓   |
| 3D Glasses                         | Includes 2 Pairs                     | Includes 2 Pairs                     | Includes 2 Pairs                     | Includes 2 Pairs                                    |
| Keystone Correction                | Vertical ±30°                        | Vertical ±30°                        | Vertical ±30°                        | Vertical ±30°                                       |
| Lens Shift                         | Vertical ±96.3%<br>Horizontal ±47.1% | Vertical ±96.3%<br>Horizontal ±47.1% | Vertical ±96.3%<br>Horizontal ±47.1% | Vertical ±90%<br>Horizontal ±40%                    |
| Lens Memory                        | -                                    | -                                    | -                                    | Yes (10 Positions)                                  |
| Picture in Picture                 | ✓                                    | $\checkmark$                         | ✓                                    | $\checkmark$  |
| HDMI Connectivity                  | 2                                    | 2                                    | 2                                    | 2   |
| THX3D and ISF Certification        | -                                    | $\checkmark$                         | ✓                                    | $\checkmark$  |
| WirelessHD                         | -                                    | -                                    | ✓                                    | -   |
| Warranty (excluding lamps)         | 2 yrs <sup>†</sup>                   | 3 yrs (inc lamp)                     | 3 yrs (inc lamp)                     | 3 yrs   |

<sup>\*</sup> NOT AVAILABLE IN NEW ZEALAND

<sup>†</sup> WARRANTY DIFFERS IN NEW ZEALAND

# **PERIPHERALS**

## **Visualisers**

Visualisers are digital teaching tools that allow teachers and students to display and share a much wider range of information, including books, 3D objects and detailed demonstrations or experiments, releasing them from the constraints of paper.

#### **ELP-DC06**



The DC-06 is a flexible, compact and portable visualiser with USB connectivity to an Epson projector, PC or Mac. Powered via USB for ease and simplicity.

#### ELP-DC12



The DC-12 is a high performance visualiser featuring amazing image quality with a 2MP camera and a 1/2.7" CMOS Sensor. A versatile teaching tool with advanced connectivity, that is a must have for every modern classroom.

#### **ELP-DC20**



The DC-20 enables users to turn their existing projector into a fully interactive Education or Business creativity tool. The large optical sensor with 1080p capture and 12x optical zoom provide sharp, clear images to store on the internal memory.

#### **Screens and Mounts**

Epson screens offer the perfect solution for both business presentations and home theatre use. Unique mechanisms make our screens more compact and highly portable. Designed by a specialist team of Epson engineers, our range of projector mounts and accessories provide strength, reliability and good looks for installations in a multitude of environments.

#### **SCREENS**



Epson offers the complete solution with a portable 80" screen, the perfect display solution for the home or office.

#### **MOUNTS**



Epson has wall mounts, ceiling mounts and table mounts to suit all Epson projectors.

#### **ACCESSORIES**



High-speed, wireless network adapters plug directly into selected Epson projectors allowing quick and easy access to the LAN, peer-topeer networks and mobile devices without wires or cables.

#### **Education Solutions**

Make the most of your projector with quality accessories from Epson. Epson has a solution for every teaching scenario. You can easily control Epson projectors and devices by consolidating projector and source controls in a handy control and connection box. You can also add sound that reaches all students whether in the front or the back of the room. Enhance your classroom with an Epson Education Solution.

#### ELP-CB02



The simple solution to cable management and projector control. With the ELP-CB02, users can access a broad range of connectivity options including HDMI, extend USB cable length and control audio and projector functionality.

#### **ELP-SP02**



Enhance the learning experience in your classroom with the crystal clear audio delivered by the 15W Active Stereo Speaker set from Epson. A perfect match to your Epson projector.

## **Epson Lamps**

Epson produces the core components of all its projectors, many of which are exclusively used in Epson products. Epson's Lamp technology allows our projectors to consume less power and be more eco friendly than others. Epson lamps are precisely positioned within a specially designed cage for easy and accurate placement inside an Epson projector. Lamp prices start from \$79/\$129 AU/NZ and can often last up to 5000-6000 hours. Epson lamps all have considerable recyclable content, in 100% recyclable and clearly labelled packaging. Non-genuine lamps can be very expensive and have adverse effects on your projector, not covered by warranty. This includes melting, bad odour, uneven colours, failure to light and internal overheating. If you buy genuine, you're buying our promise that you're getting the best possible lamp for your Epson projector!



# **COLOUR LIGHT OUTPUT**



## What is Colour Brightness?

Colour Light Output (Colour Brightness) is a new standard that gives buyers the data they need to compare projectors. Brightness has long been the specification used for projector comparisons. However, the old specification measured only white light output, rather than measuring both white light output and colour light output. The vast majority of presentations today are in colour so measuring white brightness alone is insufficient. The Colour Light Output standard, for the first time, gives end users scientific data with which to compare colour across models and brands.

## Why is Colour Brightness Important?

Colour is a critical component of image quality and users want great picture quality when purchasing projectors. With the Colour Light Output standard, buyers can now compare colour between different models, brands and technology.

Leading manufacturers such as Epson have adopted the standard in their product specification and now show two measurements – White Brightness (White Light Output) and Colour Brightness (Colour Light Output).


## 3x Brighter Colours with Epson\*


Brilliant image quality requires high colour brightness. Epson projectors have 3x Brighter Colours than leading competitive projectors\*. Delivering equivalent White Light Output and Colour Light Output, Epson projectors use 3LCD, 3-chip technology for brilliant images with true-to-life colour.


The comparison below highlights the vast difference in colour brightness between Epson and a competing brand/technology.
















Download QR Reader and scan to learn more

Epson is the registered trademark of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice. Not all models are available at all dealers/retailers.

#### **EPSON AUSTRALIA**

3 Talavera Road North Ryde NSW 2113 Tel: (02) 8899 3666 www.epson.com.au

#### **EPSON NEW ZEALAND**

Level 2, 7-9 Fanshawe Street Auckland, 1010 Tel: (09) 366 6855 www.epson.co.nz ABN 91 002 625 783 08/14

