



FRSON

Epson SureColor[®] F7200 DS System

- Designed for roll-based fabric & soft signage production
- Flexible operation with multiple print modes and choice of 2 Ink Sets (Bk or HDk)
- Epson Ultrachrome[™] Dye Sublimation ink provides enhanced colour & brightness with predictable performance & exceptional wash/UV durability
- Fast & flexible with support for print speeds up to 58.9m²/hr
- Cost-effective production with a 6L Continuous Ink Supply System (CISS), 2L reusable Waste Tank, Media Output Heater, Remote Status Notification & Mgmt
- Epson PrecisionCore[™] print head with Variable Size Dot Technology[™] (VSDT) for superior half tones & optimised ink usage
- Supports roll-to-roll production with Automatic Tension Control (ATC) and an integrated Auto Take-Up (ATU) for operation with a calendar press
- Oeko-Tex[™] certified so garments can be worn by adults, children & infants
- Can be ordered with the latest Ergosoft RIP Software
- Comprehensive single source warranty with on site cover up to FIVE years³

Epson SureColor Fabric Range SC-F7200 64" Roll Based Dye-Sub System

Product Specifications

| PRINTING TECHNOLOGY | |
|--------------------------------|--|
| Print Head | Epson PrecisionCore [™] TFP with VSDT |
| Print Modes | Uni & Bi-directional |
| Configuration | 2x360 Nozzles per colour |
| Maximum Resolution | 720x1440 dpi |
| INK SYSTEM | |
| Ink Type | Epson Ultrachrome [®] DS |
| Ink Set (Choice of 2) | C+Y+ M+ Bk / C+Y+ M+ HDk |
| Supply | 4 x 1.5L Continuous Ink Supply System (CISS) |
| PRINT PERFORMANCE ¹ | |
| Draft (Normal Mode) | 58.9m ² /hr 1 Pass (360x720dpi) |
| Fast Production (Normal Mode) | 30.3m ² /hr 2 Pass (720x720dpi) |
| Production (Normal Mode) | 22.2m ² /hr 3 Pass & 16.2m ² /hr 4 Pass (720x720dpi) |
| Production (HQ Mode) | 13.8m ² /hr 4 Pass (720x720dpi) |
| Premium Quality (HQ Mode) | 9.4m ² /hr 6 Pass & 6.9m ² /hr 8 Pass (1440x720dpi) |
| MEDIA SUPPORT | |
| Roll Format | Single Roll, 250mm max diameter 40Kg max weight, |
| | 0.08-1mm thick (75gsm or greater), 300-1625.6mm width |
| Print Margins | Minimum 5mm (10mm with media holding plate) |
| OPERATION | |
| Control Panel | 2.5" Colour LCD with in-built help |
| Ultility Software | Communications driver, LFP RemotePanel 2, EpsonNet |
| | setup, Config & Print utilities |
| RIP Software | Optional Ergosoft RIP software (choice of Epson Essential |
| | or Production editions) |
| Interface | USB 2.0 & Ethernet 100Base-TX/1000Base-T |
| Memory | 512 MB Main + 128MB Network |
| Media Output Heater | Selectable off, 15-35°C |
| ENVIRONMENTAL | |
| Operational Temp | 15-35°C (15 - 25°C for HDk) |
| Operational Humidity | 20-80% (no condensation, 40-60%% recommended) |
| Power Supply | AC 100 V - 240 V, 50 Hz - 60 Hz, 5-10A |
| Power Consumption | 460W Operating / 30W Standby (Heater Off) / 10W Sleep |
| Operating Noise | 59dB |
| PHYSICAL | |
| | |

| Dimensions | 2620 mm x 1013mm x 1314mm (WxDxH) |
|------------------------------------|--|
| Weight | 274Kg (with MSS & CISS, no ink) |
| Shipping Carton Details | Printer: 3.1 x 1.1 x 0.9m, 320Kg |
| chipping carton betaile | Stand & CISS: 3.1 x 1.1 x 0.6m, 135Kg |
| WHAT'S IN THE BOX ² | Stand a block of X first blonn, roong |
| | Printer, Media Supply System (MSS) with ATU, CISS, |
| | Power Cords, 1 x 2L reusable Waste Ink Tank, 1 x |
| | Maintenance Kit, 1 x 64" Roll of Epson Multi-Purpose |
| | Transfer Paper, Installation/Safety manual, Utility |
| | Software & User manual (CD). |
| CONFIGURATION OPTIONS ³ | |
| SCF72001Y | Printer with 1Yr Warranty |
| SCF72003Y | Printer with 1Yr Wty + 2Yr CoverPlus |
| SCF72005Y | Printer with 1Yr Wty + 2 x 2Yr CoverPlus |
| SCF7200ESS5Y | Printer with 1Yr Wty, 2 x 2Yr CoverPlus & Ergosoft |
| | Essential V15 RIP (Epson Edition) |
| SCF7200PR05Y | Printer with 1Yr Wty, 2 x 2Yr CoverPlus & Ergosoft |
| | Production V15 RIP (Epson Edition) |
| C12C890941 | Bk Starter Ink Pack (4 x 1L) |
| C12C932111 | HDk Starter Ink Pack (4 x 1L) |
| CONSUMABLES | |
| C13T724000 | Replacement Waste Tank |
| C13S210038 | Maintenance Kit |
| C12C890891 | Replacement Media Holding Plates (each) |
| 10-CUBEN | 10L Waste Ink Recycling Bottle |
| C13T741X00 | 6 x 1L HD Black UltraChrome DS Ink Refills |
| C13T741100 | 6 x 1L Black UltraChrome DS Ink Refills |
| C13T741200 | 6 x 1L Cyan UltraChrome DS Ink Refills |
| C13T741300 | 6 x 1L Magenta UltraChrome DS Ink Refills |
| C13T741400 | 6 x 1L Yellow UltraChrome DS Ink Refills |

The four colour Epson dye sublimation inks used in the SureColor SCF7200 printer, when applied to polyester fabrics, pass the requirements of the Oeko-Tex Standard 100 for human ecological requirements of Class I products for adults, children, and babies up to 36 months. The standard specifies testing criteria for the presence of harmful substances within a textle product and belongs to the International Association for Research and Testing in the field of Textile Ecology (Oeko-Tex).

- 1 Performance figures are printer speeds only; actual production times will vary depending on computing platform, print application, file format/ size and networking configuration.
- 2 The independent sourcing of a calendar press will be required. Operation with heavy ink loads, high speeds, with certain media types and under some environmental conditions may also require the use of an ancillary heater/blower.
- 3 Warranty is provided for non-consumable and non-accessory items associated with printers sourced through Epson Australia. Cover includes print heads & CISS systems. It can be extended through the purchase of optional CoverPlus, either separately or as part of a configuration package. Free on-site repair is provided in major metro locations (nonmetro locations will attract an additional traveling charge). Service is conditional on a range of factors including appropriate product usage, operation within print life limits, regular & appropriate user maintenance, as well as use of Genuine Epson consumables.Please see the Epson Australia & New Zealand web sites for further details.



💼 eraosoft

Efficient Production with Single Operator Media Loading, Precision ATU, Remote Status Notification & Management



High Capacity CISS notifies the operator when a tank is low and can be refilled while printing continues



Configurable with a choice of two ink sets

Better Products for a Better Future

Epson is the registered trademark of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice. V3.0 May 2017

EPSON AUSTRALIA 3 Talavera Road North Ryde NSW 2113 Tel: (02) 8899 3666 www.epson.com.au ABN 91 002 625 783

EPSON NEW ZEALAND

Level 2, 7-9 Fanshawe Street Auckland, 1010 Tel: (09) 366 6855 www.epson.co.nz

EPSON ULTRACHROME



Fast. Reliable. Professional

