

1. Identification

GHS Product identifier

Mixture identification:

Trade name: Ink, T15K1

Recommended use of the chemical and restrictions on use

Recommended use:

Ink for inkjet printing

Supplier's details

Supplier in Australia:

EPSON Australia Pty Limited
Level 7, 90 Arthur Street, North Sydney NSW 2060, Australia
(02) 8899 3666

Supplier in New Zealand:

EPSON New Zealand Pty Limited
7-9 Fanshawe Street, Auckland 1010, New Zealand
(09) 366 6855 www.epson.co.nz

Date: 08/07/2025

Revision: 3.0

Emergency phone number

Australia (02) 8899 3666 (Mon-Fri, 9AM-5PM, AEST)

New Zealand (09) 366 6855 (Mon-Fri, 9AM-5PM, NZST)

2. Hazard identification

Classification of the Hazardous chemical

The product is not classified as dangerous according to GHS - Seventh revised edition.

GHS label elements, including precautionary statements

The product is not classified as dangerous according to GHS - Seventh revised edition.

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Other hazards which do not result in a classification

No other hazards

3. Composition/information on ingredients

Substances

No

Mixtures

Hazardous components within the meaning of GHS and related classification:

Qty	Name	Ident. Number	Classification
65% ~ 80%	Water	CAS: 7732-18-5 EC: 231-791-2	The product is not classified as dangerous according to GHS - Seventh revised edition.
7% ~ 10%	Glycerol	CAS: 56-81-5 EC: 200-289-5	The product is not classified as dangerous according to GHS - Seventh revised edition.
7% ~ 10%	Carbon black	CAS: 1333-86-4 EC: 215-609-9	The product is not classified as dangerous according to GHS - Seventh revised edition.

3% ~ 5%	epsilon-caprolactam	Index number: 613-069-00-2 CAS: 105-60-2 EC: 203-313-2	 3.3/2A Eye Irrit. 2A H319  3.8/3 STOT SE 3 H335  3.2/2 Skin Irrit. 2 H315  3.1/4/Oral Acute Tox. 4 H302  3.1/4/Inhal Acute Tox. 4 H332
1% ~ 3%	2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	Index number: 603-183-00-0 CAS: 143-22-6 EC: 205-592-6 REACH No.: 01-21194751 07-38	 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 30%: Eye Dam. 1 H318 20% <= C < 30%: Eye Irrit. 2A H319
0.1% ~ 0.25%	Triethanolamine	CAS: 102-71-6 EC: 203-049-8 REACH No.: 01-21194864 82-31	The product is not classified as dangerous according to GHS - Seventh revised edition.
0.1% ~ 0.25%	2,4,7,9-tetramethyldec-5-yne-4,7-diol	CAS: 126-86-3 EC: 204-809-1 REACH No.: 01-21199543 90-39	 3.3/1 Eye Dam. 1 H318  3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

None

Medical attention and special treatment

Treatment:

None

5. Fire-fighting measures

Suitable extinguishing media

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: No data available

Oxidizing properties: No data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters – exposure standards, biological monitoring

Glycerol - CAS: 56-81-5

- OEL Type: OSHA - TWA: 5 mg/m³ - Notes: Respirable dust

- OEL Type: OSHA - TWA: 15 mg/m³ - Notes: Total dust

Carbon black - CAS: 1333-86-4

- OEL Type: ACGIH - TWA(8h): 3 mg/m³

- OEL Type: OSHA - TWA: 3.5 mg/m³

- OEL Type: JSOH - TWA: 1 mg/m³

- OEL Type: JSOH - TWA: 4 mg/m³

- OEL Type: ISHL - TWA(8h): 0.3 mg/m³ - Notes: as respirable particle

- OEL Type: ISHL - TWA: 3.0 mg/m³

epsilon-caprolactam - CAS: 105-60-2

- OEL Type: EU - TWA(8h): 10 mg/m³ - STEL: 40 mg/m³

- OEL Type: EU - TWA(8h): 10 mg/m³ - STEL: 40 mg/m³

- OEL Type: ACGIH - TWA(8h): 5 mg/m³

- OEL Type: ISHL - TWA(8h): 5 mg/m³

Triethanolamine - CAS: 102-71-6

- OEL Type: ACGIH - TWA(8h): 5 mg/m³

- OEL Type: ISHL - TWA(8h): 1 mg/m³

DNEL Exposure Limit Values

Triethanolamine - CAS: 102-71-6

Worker Industry: 6.3 mg/kg/day - Consumer: 3.1 mg/kg/day - Exposure: Human Dermal

- Frequency: Long Term, systemic effects

Worker Industry: 5 mg/m³ - Consumer: 1.25 mg/m³ - Exposure: Human Inhalation -

- Frequency: Long Term, systemic effects

Consumer: 13 mg/kg/day - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

Target: Fresh Water - Value: 1.5 mg/l
 Target: Freshwater sediments - Value: 5.77 mg/kg
 Target: Marine water - Value: 0.15 mg/l
 Target: Marine water sediments - Value: 0.13 mg/kg
 Target: Microorganisms in sewage treatments - Value: 200 mg/l

Triethanolamine - CAS: 102-71-6

Target: Fresh Water - Value: 0.32 mg/l
 Target: Marine water - Value: 0.032 mg/l
 Target: Freshwater sediments - Value: 1.7 mg/kg
 Target: Marine water sediments - Value: 0.17 mg/kg
 Target: Soil (agricultural) - Value: 0.151 mg/kg

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

Target: Fresh Water - Value: 0.04 mg/l
 Target: Marine water - Value: 0.004 mg/l
 Target: Freshwater sediments - Value: 0.32 mg/kg
 Target: Marine water sediments - Value: 0.032 mg/kg

Appropriate engineering controls

None

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use personal protective equipment as required.

Protection for skin:

Use personal protective equipment as required.

Protection for hands:

Use personal protective equipment as required.

Respiratory protection:

Use personal protective equipment as required.

Thermal Hazards:

None

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Black
Odour:	Slightly
Melting point / freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	Non-flammable
Lower and upper explosion limit:	No data available
Flash point:	Does not flash.
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	7.5 ~ 8.5 at 20 °C
Kinematic viscosity:	No data available
Solubility in water:	Complete
Vapour pressure:	No data available
Relative vapour density:	No data available
Particle characteristics:	Not Relevant

Other information

Viscosity:	< 5 mPa·s at 20 °C
------------	--------------------

10. Stability and reactivity

- Reactivity
 - Stable under normal conditions
- Chemical stability
 - Stable under normal conditions
- Possibility of hazardous reactions
 - None
- Conditions to avoid
 - Stable under normal conditions.
- Incompatible materials
 - None in particular.
- Hazardous decomposition products
 - None.

11. Toxicological information

- Toxicological information of the product:
 - b) skin corrosion/irritation:
 - Test: Skin Irritant - Species: OECD TG439: In Vitro Skin Irritation Test Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative - Source: H-22053
 - f) carcinogenicity:
 - Components do not come under carcinogens (Ref. 1), except for Carbon black
 - g) reproductive toxicity:
 - Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)
- Toxicological information of the main substances found in the product:
 - Glycerol - CAS: 56-81-5
 - a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941
 - Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.
 - Carbon black - CAS: 1333-86-4
 - a) acute toxicity:
 - Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15
 - Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15
 - 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6
 - a) acute toxicity:
 - Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.
 - Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,
 - Triethanolamine - CAS: 102-71-6
 - a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.
 - Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.
 - 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3
 - a) acute toxicity:
 - Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

Test: Eye Irritant - Species: Rabbit Highly irritating

d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative

Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information listed below must be considered as N.A.::

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Toxicological information of the product:

No data available

Toxicological information of the main substances found in the product:

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 36 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 88 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 15 mg/l - Duration h: 72

c) Bacteria toxicity:

Endpoint: EC50 - Species: activated sludge = 630 mg/l - Duration h: 0.5

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

None

13. Disposal considerations

Disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

UN number

Not classified as dangerous in the meaning of transport regulations.
UN proper shipping name
No data available
Transport hazard class(es)
No data available
Packing group, if applicable
No data available
Environmental hazards
No data available
Special precautions for user
No data available
Additional Information
No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question
This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals
Australia Information:
Statement of Hazardous Nature:
the Industrial Chemicals (Notification and Assessment) Act 1989 (Cwlth), including listing on the Australian Inventory of Chemical Substances (AICS), any condition of use associated with the listing on the AICS and/or whether any chemical or a chemical in the product is being introduced under a permit.
New Zealand Information:
Hazardous Substances and New Organisms Act 2020:
Not regulated

16. Other information

Full text of phrases referred to in Section 3:
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H315 Causes skin irritation.
H302 Harmful if swallowed.
H332 Harmful if inhaled.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet dated July 8, 2025, Revision: 3.0
Paragraphs modified from the previous revision:
1. Identification
8. Exposure controls/personal protection
9. Physical and chemical properties
11. Toxicological information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC:
International Agency for Research on Cancer)
·Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH))
·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists)

- IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA)
 - National Toxicology Program (NTP) Report on Carcinogens (USA)
 - Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 - MAK und BAT Werte Liste (DFG: German Research Foundation)
 - TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)
- Ref. 2 ·Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.
SUSMP:	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons