

Safety Data Sheet

Issue date 20-10-2020 (DD-MMM-YYYY) Revision date 23-10-2020 (DD-MMM-YYYY)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product name INK SUPPLY UNIT, UV, VR, 140

Product code T53RV

Pure substance/mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ink jet ink (UV curing)

1.3. Details of the supplier of the safety data sheet

Company Name Importer / Supplier

Supplier in Australia:

EPSON Australia Pty Limited

Level1, 3 Talavera Road Macquarie Park NSW 2113, Australia

(02) 8899 3666 <u>www.epson.com.au</u>

Supplier in New Zealand:

EPSON New Zealand Pty Limited

7-9 Fanshawe Street, Auckland 1010, New Zealand

(09) 366 6855 <u>www.epson.co.nz</u>

For further information, please contact

Contact Point
1.4. Emergency telephone number

Emergency Telephone Number Australia (02) 8899 3666 (Mon-Fri, 9AM-5PM, AEST)

New Zealand (09) 366 6855 (Mon-Fri, 9AM-5PM, NZST)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1B - (H317)
Reproductive toxicity	Category 2 - (H361)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Classification according to 67/548/EEC

Full text of R-phrases: see section 16

Hazard symbols

Xn - Harmful



N - Dangerous for the environment

R-code(s)

Repr. cat. 3;R62 - Xn;R48/22 - Xi;R37/38 - Xi;R41 - R43 - N;R50/53

2.2. Label Elements

Product Identifier Symbols/Pictograms



Signal Word DANGER

hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H361 - Suspected of damaging fertility or the unborn child

Contains 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-

1,6-Hexanediol diacrylate

Morpholine, 4-(1-oxo-2-propenyl)-

2-Propenoic acid, phenylmethyl ester

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide

Poly[oxy(methyl-1,2-ethanediyl)], .alpha...alpha.'..alpha."-1,2,3-propanetriyltris[.omega.-[(1-oxo-2-propenyl)oxy]-

2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-

4-Methoxyphenol EUH208 - May produce an allergic reaction

precautionary statements

P264 - Wash hands thoroughly after handling

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P272 - Contaminated work clothing should not be allowed out of the workplace

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P271 - Use only outdoors or in a well-ventilated area

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P273 - Avoid release to the environment



P391 - Collect spillage

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

2.3. Other Hazards

MAY BE HARMFUL IF SWALLOWED No information available

SECTION 3: Composition/information on ingredients

3.1 Substances

Ingredients contributing to the classification of the mixture, etc.

Chemical name	CAS No	weight-%	Classification	Classification according	Japan GHS Classification
511511115411111111111111111111111111111	57.53.15		according to	to Regulation (EC) No.	/ Other
			67/548/EEC	1272/2008 [CLP] ANNEX	
				VI Table3.1 / Other	
2-Propenoic acid,	5888-33-5	50-60	Xi; R36/37/38-43	Skin Irrit. 2 (H315)	Skin Irrit. 2
1,7,7-trimethylbicyclo[2.2.1]h			N; R50-53	Eye Irrit. 2 (H319)	Eye Irrit. 2
ept-2-yl ester, exo-				Skin Sens. 1B (H317)	Skin Sens. 1B
				STOT SE 3 (H335)	STOT SE 3
				Aquatic Acute 1 (H400)	Aquatic Acute 1
				Aquatic Chronic 1 (H410)	Aquatic Chronic 1
1,6-Hexanediol diacrylate	13048-33-4	10-20	Xi; R36/38	Skin Irrit. 2 (H315)	Aquatic Chronic 1
			R43	Eye Irrit. 2 (H319)	Aquatic Acute 1
				Skin Sens. 1 (H317)	Skin Sens. 1
				Aquatic Acute 1 (H400)	
				Aquatic Chronic 1 (H410)	
Morpholine,	5117-12-4	10-20	Xn; R22-48/22	Acute Tox. 4 (H302)	-
4-(1-oxo-2-propenyl)-			Xi; R41	Eye Dam. 1 (H318)	
			R43	Skin Sens. 1 (H317)	
				STOT RE 2 (H373)	
2-Propenoic acid,	2495-35-4	5-10	Xi; R36/38-43	Skin Irrit. 2 (H315)	Skin Irrit. 2
phenylmethyl ester				Eye Irrit. 2A (H319)	Eye Irrit. 2A
				Skin Sens. 1 (H317)	Skin Sens. 1B
Diphenyl-2,4,6-trimethylbenz	75980-60-8	5-10	Repr.Cat.3; R62	Repr. 2 (H361f)	-
oyl phosphine oxide				Repr. 2 (H361)	
Poly[oxy(methyl-1,2-ethaned	52408-84-1	< 1	Xi; R36-43	Eye Irrit. 2A (H319)	Eye Irrit. 2A
iyl)], .alpha.,.alpha.,.alpha1,				Skin Sens. 1 (H317)	Skin Sens. 1
2,3-propanetriyltris[.omega[
(1-oxo-2-propenyl)oxy]-					
2,5-Cyclohexadien-1-one,	7078-98-0	< 1	R43	Skin Sens. 1 (H317)	-
2,6-bis(1,1-dimethylethyl)-4-(R53	Aquatic Chronic 4 (H413)	
phenylmethylene)-					
4-Methoxyphenol	150-76-5	< 1	Xn; R22	Acute Tox. 4 (H302)	Skin Irrit. 2
			Xi; R36	Eye Irrit. 2 (H319)	Eye Irrit. 2A
			R43	Skin Sens. 1 (H317)	Aquatic Acute 3
				Skin Irrit. 2 (H315)	Acute Tox. Oral 4
				Aquatic Acute 3 (H402)	

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures



General advice If symptoms persist, call a physician

Do not breathe dust/fume/gas/mist/vapors/spray Do not get in eyes, on skin, or on clothing

May produce an allergic reaction

inhalation Remove to fresh air

If breathing is irregular or stopped, administer artificial respiration

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation

Call a physician

Artificial respiration and/or oxygen may be necessary Move to fresh air in case of accidental inhalation of vapors

If symptoms persist, call a physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

Seek immediate medical attention/advice

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

Skin contact Consult a physician if necessary

Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes

Wash contaminated clothing before reuse

Wash off immediately with soap and plenty of water

If skin irritation persists, call a physician

Get medical attention if irritation develops and persists

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

If eye irritation persists: Get medical advice/attention

INGESTION Do NOT induce vomiting

Clean mouth with water and drink afterwards plenty of water

If symptoms persist, call a physician

Clean mouth with water

Never give anything by mouth to an unconscious person

Call a physician

Potential for aspiration if swallowed

Get medical attention

Self-protection of the first aiderUse personal protection recommended in Section 8

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons

Treat symptomatically

SECTION 5: Fire fighting measures

5.1. Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam, mist of alkali salts water



Move containers from fire area if you can do it without risk

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment

Remove combustible materials from their surroundings immediately

Special Extinguishing Media Cool container with water spray

Unsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

In the event of fire and/or explosion do not breathe fumes May cause sensitization by inhalation and skin contact

Thermal decomposition can lead to release of irritating and toxic gases and vapors

The product causes irritation of eyes, skin and mucous membranes

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary

Use personal protective equipment as required

In the event of fire and/or explosion do not breathe fumes

Special protective equipment for fire-fighters

Flammable properties May re-ignite after fire is extinguished

Flammable/combustible material

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing

Use personal protective equipment as required

Evacuate personnel to safe areas

Keep people away from and upwind of spill/leak

Stav upwind

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)

Avoid contact with skin, eyes and inhalation of vapors

In the case of vapor formation use a respirator with filter model

In case of fire: Stop leak if safe to do so

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing

Ensure adequate ventilation, especially in confined areas Take precautionary measures against static discharges

OTHER INFORMATION Ventilate the area

6.2. Environmental precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas

Do not flush into surface water or sanitary sewer system Prevent further leakage or spillage if safe to do so

Prevent product from entering drains

See Section 12 for additional Ecological Information

Dispose of contents/container to an approved waste disposal plant

Avoid release to the environment

Collect spillage



6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material

Cover powder spill with plastic sheet or tarp to minimize spreading

Pick up and transfer to properly labeled containers

Soak up with inert absorbent material

Dam up

Use only non-sparking tools

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing

Wash contaminated clothing before reuse

Do not eat, drink or smoke when using this product Use personal protection recommended in Section 8 Do not breathe dust/fume/gas/mist/vapors/spray

Use with local exhaust ventilation

Take precautionary measures against static discharges

Use only in well-ventilated areas

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

Wash hands thoroughly and gargle after handling

Keep away from any Group 1 and Group 6 dangerous goods and high pressure gases.

Burn or dispose of the wiping cloths used to clean up the product at once

General hygiene considerations When using do not eat, drink or smoke

Wash contaminated clothing before reuse

Regular cleaning of equipment, work area and clothing is recommended

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place

Keep out of the reach of children Keep in properly labeled containers

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity)

Use spark-proof tools and explosion-proof equipment

Incompatible with oxidizing agents

Store the materials in comliance with the the Fire Service $\mbox{\sc Act}$ regulations.

The product shall be stored in the original containers/vessels

Polymerization is caused by ultra violet rays or heat. Store in a cool, dark and

well-ventilated place. Containers/vessels should be tightly closed

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	Australia	New Zealand	European Union	United Kingdom	France	Spain	Germany



4-Methoxyphenol	5 mg/m ³	TWA: 5 mg/m ³	-	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	_
1 Motifickyphonor	o mg/m				1 177 t. O 1119/111	T VV/ t. O mg/m	

Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
4-Methoxyphenol	-	TWA: 5 mg/m ³	-	=	TWA: 5 mg/m ³

Chemical name	Austria	Switzerland	Poland	Norway	Ireland
4-Methoxyphenol	STEL: 10 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
	TWA: 5 mg/m ³			STEL: 10 mg/m ³	STEL: 15 mg/m ³

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas

Showers

Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles

Face protection shield

Wear safety glasses with side shields (or goggles)

Hand protection Wear protective gloves

Skin and Body ProtectionSuitable protective clothing

Wear suitable protective clothing

Apron

Gloves made of plastic or rubber Protective shoes or boots

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment

Respirator cartridge should be exchanged at regular intervals or at proper time according to

breakthrough time

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water

Chemical Controls for Australian Printers

Minimise skin contact with inks and cleaning chemicals.

• Ensure that ventilation equipment is maintained and working effectively, to

minimise airborne exposures.

SECTION 9: Physical and chemical properties



9.1. Information on basic physical and chemical properties

Physical state liquid

appearanceNo information availableODRcharacteristic odorcolorcoloredodor thresholdNo information available

Property Values Remarks • Flash point measuring method

pH Not applicable

Melting point/freezing pointno data availableBoiling point/boiling rangeno data available

Boiling point/boiling rangeno data availableNo information availableFlash Point $\geq 94\%$ Seta Closed CupEvaporation Rateno data availableNo information available

Combustibility no data available

Flammability Limits in Air

Upper flammability limits no data available Lower Flammability Limit no data available vapor pressure no data available

vapor pressureno data availableNo information availableVapor densityno data availableNo information availableSpecific gravity1.00-1.10

solubility(ies)

Water solubility Immiscible in water

Organic Solvent Solubility soluble in organic solvents

Partition coefficient no data available No information available Autoignition temperature no data available no data available no data available No information available No information available

Kinematic viscosity no data available
Explosive properties No information available
Oxidizing properties No information available

9.2. Other information

softening point no data available density no data available

Chemical name	Boiling point °C	density	Vapor pressure	Vapor density	Flash Point	Autoignition temperature
1,6-Hexanediol diacrylate	-	-	0.0005 mmHg at 21 °C	-	132 °C closed cup	-
2-Propenoic acid, phenylmethyl ester	228 °C 1013.25 hPa	1.0573 g/cm3 at 20 °C	-	-	-	-
4-Methoxyphenol	243 - 246 °C	-	-	4.3	132 °C open cup	421 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

Remarks no data available

10.2. Chemical stability

stability Stable under normal conditions

Polymerization can occur

Heating may cause an explosion

Explosion data

Sensitivity to Mechanical Impact May be ignited by heat, sparks or flames

Sensitivity to Static Discharge May be ignited by heat, sparks or flames



10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to Avoid Take precautionary measures against static discharges

Extremes of temperature and direct sunlight

Heat

10.5. Incompatible materials

Incompatible Materials Heat; Strong acids; OXIDIZERS; alkali; Light; peroxides; radical initiators

10.6. Hazardous decomposition products

Hazardous decomposition products May emit toxic fumes under fire conditions

SECTION 11: Toxicological information

Repeated or prolonged contact may cause allergic reactions in very susceptible persons May cause sensitization by skin contact

May cause sensitization by inhalation and skin contact

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information

inhalationReference to other sections; 4Eye ContactReference to other sections; 4Skin contactReference to other sections; 4INGESTIONReference to other sections; 4

Unknown acute toxicity 0.0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,000.00

Chemical name	Oral LD50	dermal LD50	Inhalation LC50	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP] ANNEX VI Table3.1 / Other	Japan GHS Classification / Other
2-Propenoic acid,	-	-	-	Xi; R36/37/38-43	Skin Irrit. 2 (H315)	Skin Irrit. 2
1,7,7-trimethylbicyclo[2.2.1]				N; R50-53	Eye Irrit. 2 (H319)	Eye Irrit. 2
hept-2-yl ester, exo-					Skin Sens. 1B (H317)	Skin Sens. 1B
					STOT SE 3 (H335)	STOT SE 3
					Aquatic Acute 1 (H400)	Aquatic Acute 1
					Aquatic Chronic 1 (H410)	Aquatic Chronic 1
1,6-Hexanediol diacrylate	-	-	-	Xi; R36/38	Skin Irrit. 2 (H315)	Aquatic Chronic 1
				R43	Eye Irrit. 2 (H319)	Aquatic Acute 1
					Skin Sens. 1 (H317)	Skin Sens. 1
					Aquatic Acute 1 (H400)	
					Aquatic Chronic 1 (H410)	



				l .	I	
Morpholine,	-	-	-	Xn; R22-48/22	Acute Tox. 4 (H302)	-
4-(1-oxo-2-propenyl)-				Xi; R41	Eye Dam. 1 (H318)	
				R43	Skin Sens. 1 (H317)	
					STOT RE 2 (H373)	
2-Propenoic acid,	-	-	-	Xi; R36/38-43	Skin Irrit. 2 (H315)	Skin Irrit. 2
phenylmethyl ester				*	Eye Irrit. 2A (H319)	Eye Irrit. 2A
' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '					Skin Sens. 1B (H317)	Skin Sens. 1B
Diphenyl-2,4,6-trimethylben	-	-	-	Repr.Cat.3; R62	Repr. 2 (H361f)	-
zoyl phosphine oxide					Repr. 2 (H361)	
Poly[oxy(methyl-1,2-ethane	-	-	-	Xi; R36-43	Eye Irrit. 2A (H319)	Eye Irrit. 2A
diyl)], .alpha.,.alpha.,.alpha.					Skin Sens. 1 (H317)	Skin Sens. 1
-1,2,3-propanetriyltris[.ome						
ga[(1-oxo-2-propenyl)oxy]						
2,5-Cyclohexadien-1-one,	-	-	-	R43	Skin Sens. 1 (H317)	-
2,6-bis(1,1-dimethylethyl)-4				R53	Aquatic Chronic 4 (H413)	
-(phenylmethylene)-					. , ,	
4-Methoxyphenol	1600 mg/kg	-	-	Xn; R22	Acute Tox. 4 (H302)	Skin Irrit. 2
1	(Rat)			Xi; R36	Eye Irrit. 2 (H319)	Eye Irrit. 2A
	()			R43	Skin Sens. 1 (H317)	Aquatic Acute 3
					Skin Irrit. 2 (H315)	Acute Tox. Oral 4
					Aquatic Acute 3 (H402)	
L				1		

GHS/CLP Classification Note:

Acute Tox. Der. :Acute toxicity - Dermal, Acute Tox. Inh. (D/M) :Acute toxicity - Inhalation - Dusts and Mists, Acute Tox. Inh. (Gas) :Acute toxicity - Inhalation - Gases, Acute Tox. Inh. (Vap) :Acute toxicity - Inhalation - Vapours, Acute Tox. Oral :Acute toxicity - Oral, Aquatic Acute :Acute Hazardous to the aquatic environment, Aquatic Chronic :Chronic Hazardous to the aquatic environment, Asp. Tox. :Aspiration hazard, Carc. :Carcinogenicity, Expl. :Explosives, Eye Dam. :Serious eye damage, Eye Irrit. :Eye irritation, Flam. Gas :Flammable gases (including chemically unstable gases), Flam. Liq. :Flammable liquids, Flam. Solid :Flammable solids, Lact. :Effects on or via lactation, Met. Corr. :Corrosive to metals, Muta. :Germ cell mutagenicity, Org. Perox. :Organic peroxides, Ox. Gas :Oxidizing gases, Ox. Liq. :Oxidizing liquids, Ox. Sol. :Oxidizing solids, Press. Gas :Gases under pressure, Pyr. Liq. :Pyrophoric liquids, Pyr. Sol. :Pyrophoric solids, Repr. :Reproductive toxicity, Resp. Sens. :Respiratory sensitization, Self-heat. :Self-heating substances and mixtures, Self-react. :Self-reactive substances and mixtures, Skin Corr. :Skin corrosion, Skin Irrit. :Skin irritation, Skin Sens. :Skin sensitization, STOT RE :Specific target organ toxicity – Repeated exposure, STOT SE :Specific target organ toxicity – Single exposure, Water-react. :Substances and mixtures which, in contact with water emit flammable gases

skin corrosion/irritation No information available Serious eye damage/eye irritation No information available sensitization No information available **Germ Cell Mutagenicity** No information available Carcinogenicity No information available **Reproductive Toxicity** No information available No information available STOT - single exposure No information available STOT - repeated exposure **Aspiration Hazard** No information available

SECTION 12: Ecological information

12.1. Toxicity



28.1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

12.2. Persistence and degradability

Persistence and degradability No information available

12.3. Bioaccumulative potential

Bioaccumulation No information available

Chemical name	Partition coefficient
4-Methoxyphenol	1.34

12.4. Mobility in soil

Mobility in soil No information available

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available

12.6. Other adverse effects

Other adverse effects No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment

Disposal should be in accordance with applicable regional, national and local laws and

regulations

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal

OTHER INFORMATION Waste codes should be assigned by the user based on the application for which the product

was used

Store in a tightly sealed drum to prevent the spillage of the content

SECTION 14: Transport information

Containers/vessels must be leakage-free. Loading must be done to prevent containers from

falling, dropping down and being damaged Take necessary steps to prevent collapse

Use opaque containers/vessels for storage and transport

UN number UN3082
Packing group III
ERG Code 171

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

<u>IMDG</u>



14.1 UN number UN3082

14.2 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

 14.3 Hazard Class
 9

 14.4 Packing group
 III

 Environmental hazard
 Yes

 14.6 Special Provisions
 None

 EmS-No
 F-A, S-F

14.7 Transport in bulk according No information available

to Annex II of MARPOL 73/78 and

the IBC Code

RID

14.1 UN number UN3082

14.2 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3 Hazard Class 9

14.4 Packing group III
14.5 Environmental hazard Yes
Classification code M6
14.6 Special Provisions None

<u>ADR</u>

14.1 UN number UN3082

14.2 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3 Hazard Class 9
Labels 9
14.4 Packing group III
14.5 Environmental hazard Yes

14.6 Special Provisions None Classification code M6
Tunnel restriction code (E)

ICAO (air)

14.1 UN number UN3082

14.2 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3Hazard Class914.4Packing groupIII14.5Environmental hazardYes14.6Special ProvisionsNone

IATA

14.1 UN number UN3082

14.2 Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

14.3Hazard Class914.4Packing groupIII14.5Environmental hazardYes14.6Special ProvisionsNoneERG Code9L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia



See section 8 for national exposure control parameters

New Zealand

• See section 8 for national exposure control parameters

ERMA New Zealand HSNO approval code or group standard Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017 - HSR002670

Chemical name	CAS No		HSNO Chemical Classification
2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl	5888-33-5		-
ester, exo-			
1,6-Hexanediol diacrylate	13048-33-4		6.3A, 6.4A, 6.5B contact (Approval number: HSR003631)
Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4		6.3A, 6.4A (Approval number: HSR007147)
2-Propenoic acid, phenylmethyl ester	2495-35-4		·
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8		-
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha. "-1,2,3-propanetriyltris[.omega[(1-oxo-2-propenyl)oxy]	52408-84-1	HSR00	E inhalation, 6.3A, 6.4A (Approval number: 03630); 6.3A, 6.4A (>10% in a non hazardous
-			diluent, Approval number: HSR005991)
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-	7078-98-0		-
4-Methoxyphenol	150-76-5		6.1D oral, 6.3A, 6.4A, 6.5B contact, 9.1A crustacean, 9.1D fish, 9.3C (Approval number: HSR003017)

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

R22 - Harmful if swallowed

R36 - Irritating to eyes

R41 - Risk of serious damage to eyes

R43 - May cause sensitization by skin contact

R50 - Very toxic to aquatic organisms

R62 - Possible risk of impaired fertility

R36/37/38 - Irritating to eyes, respiratory system and skin

R36/38 - Irritating to eyes and skin

R37/38 - Irritating to respiratory system and skin

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

H361f - Suspected of damaging fertility

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H400 - Very toxic to aquatic life

H402 - Harmful to aquatic life


H410 - Very toxic to aquatic life with long lasting effects

H413 - May cause long lasting harmful effects to aquatic life

Issue date 20-10-2020 (DD-MMM-YYYY)

Revision date 23-10-2020







This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet